

SPARC Robot Construction Specifications v1.6.2

16 August 2026

Copyright ©2025 SPARC

Content changes from SPARC Robot Construction Specifications v1.5 will be highlighted in blue.

1. Overview and Purpose

- 1.1. The SPARC Robot Construction Specifications was created to provide both builders and event organizers with an up to date and easy to implement ruleset.
- 1.2. The SPARC Standard Ruleset will call out areas where the rules are often altered by the events and will provide the most frequently used options for easy adaptation.
- 1.3. If you choose to utilize the SPARC Robot Construction Specifications and modify the rules to adapt to your event please note specific areas that differ from the standard SPARC rules in section 2.

2. Deviations From Robot Construction Specifications

- 2.1. This rule set has been modified to clarify rules for Plastic Ants at Grand River Makersspace. Mentions to other classes have been removed.
- 2.2. All new wording by Grand River Makersspace will be in Green. The original unmodified rules are at <https://sparc.tools>
- 2.3. The main changes are as follows:
 - 2.3.1. Allows less stringent safety requirements on lifter and wedge bots.
 - 2.3.1.1. Lifters are defined as a robot that moves or lifts another robot with a slow moving servo. If the robot is capable of throwing another robot it is not a lifter.
 - 2.3.1.2. Wedge bots are defined as a robot without an active weapon
 - 2.3.2. Flame and heat weapons are banned
 - 2.3.3. Smoke effects and tethered projectiles are allowed.
 - 2.3.4. Rules for the creation of bristles on bristle bots are added.

3. General

- 3.1. All participants build and operate robots at their own risk. Combat robotics is inherently dangerous. There is no amount of regulation that can encompass all the dangers involved. Please take care to not hurt yourself or others when building, testing and competing.
- 3.2. If you have a robot or weapon design that does not fit within the categories set forth in these rules or is in some way ambiguous or borderline, please contact the event organizer. Safe innovation is always encouraged, but surprising the event staff with your brilliant exploitation of a loophole may cause your robot to be disqualified before it ever competes.
- 3.3. Each event has safety inspections. It is at their sole discretion that your robot is allowed to compete. As a builder you are obligated to disclose all operating principles and potential dangers to the inspection staff.

- 3.4. Cardinal Safety Rules: Failure to comply with any of the following rules could result in expulsion or worse, injury and death.
- 3.4.1. Radios that do not operate using spread spectrum technology may not be turned on at or near events for any purpose without obtaining the appropriate frequency clip or explicit permission from the event.
 - 3.4.2. Proper activation and deactivation of robots is critical. Robots must only be activated in the arena, testing areas, or with expressed consent of the event and its safety officials.
 - 3.4.3. All robots must be able to be FULLY deactivated, which includes power to drive and weaponry, **in under 60 seconds by a manual disconnect.**
 - 3.4.4. Locking devices: Moving weapons that can cause damage or injury must have a **clearly visible** locking device in place **at all times** when not in the arena. Locking devices must be clearly identified. Examples of acceptable options include neon paint, brightly colored tabs, and remove before flight tags. Locking devices must be clearly capable of stopping, arresting or otherwise preventing harmful motion of the weapon. Locking devices must securely affix in place on the robot such that they cannot easily come loose or fall off without intent.
 - 3.4.5. Weapon locking pins **must** be in place when weapon power is applied during a robot's power-on procedure. **The only robots exempt are lifter robots or robots without an active weapon.**
 - 3.4.6. It is expected that all builders will follow basic safety practices during work on the robot at your pit station. Please be alert and aware of your pit neighbors and people passing by.

4. Weight Classes

This event offers the **1lb Plastic Ant class**

- 4.1. Locomotion Weight Bonuses
- 4.1.1. Shufflers receive a 1.25x weight bonus
 - 4.1.2. Non-Traditional receive a 1.5x weight bonus
 - 4.1.3. Walkers receive a 2x weight bonus

Rolling	Shufflers	Non-Traditional	Walker
1lb / 454g	1.25 lb	1.5 lb	2 lb

5. Mobility

- 5.1. All robots must have easily visible and controlled mobility in order to compete. Methods of mobility include but are not limited to:
 - 5.1.1. Rolling (wheels, tracks or the whole robot)
 - 5.1.2. Walking: Walking robots have **no** rolling elements in contact with the floor and **no** continuous rolling or cam operated motion in contact with the floor, either directly or via a linkage. Motion is “continuous” if continuous operation of the drive motor(s) produces continuous motion of the robot. Linear-actuated legs and novel non-wheeled drive systems may qualify for this bonus. If you are intending to enter a non-wheeled robot in any event contact the event as soon as possible to determine what if any weight bonus you will qualify for.
 - 5.1.3. Shuffling (rotational cam operated legs)
 - 5.1.4. Non-Traditional
 - 5.1.4.1. Bristle/Torque Drive: Vibration or torque reaction of a powered system to generate motion
 - 5.1.4.2. Gyro Walker: Gyroscopic forces used in conjunction with a rotating arm that tilts a portion of the robot to generate motion
 - 5.1.4.3. Ground effect air cushions (hovercrafts)
 - 5.1.4.4. Jumping and hopping may be allowed at some events, contact the event organizer if you’re intending on using this as a method of locomotion.
 - 5.1.4.5. Flying (airfoil using, helium balloons, ornithopters, etc.) may be allowed at some events, contact the event organizer if you’re intending on using this as a method of locomotion.

6. Robot control requirements

- 6.1. Tele-operated robots must be radio controlled, or use an approved custom system as described in 6.4.3. Radio controlled robots must use approved ground frequencies, typically 27/49/50/53/75/900/2400 for the United States.
- 6.2. Tethered control is not allowed.
- 6.3. Pre-1991 non-narrow band radio systems are not allowed.
- 6.4. Radio system restrictions for this event with corresponding weight and or weapon restrictions:
 - 6.4.1. Radio systems that stop all motion in the robot (drive and weapons), when the transmitter loses power or signal, are required for all robots with active weapons. This may be inherent in the robots electrical system or be part of programmed fail-safes in the radio.
 - 6.4.2. All active weapon robots’ except lifters, radio systems must have a way to change frequencies or coded channels to prevent radio conflicts. Having at least **two** frequencies or coded channels available is **required**. Lack of extra frequencies may result in a forfeit. Digital spread-spectrum radios that use frequency hopping or automatic channel selection qualify under this rule.

- 6.4.3. If you are using a home built control system, or a control system not covered here, you must first clear it with the event you plan to attend.
- 6.4.4. RC systems on the AM band and toy radio systems are only acceptable for robots with no active weapon and lifters.
- 6.5. This event does not require a separate power switch for the radio.
- 6.6. This event does not provide reserved frequencies/channels for testing and safety.

7. Autonomous/Semi-Autonomous Robots

- 7.1. Any robot that moves, seeks a target, or activates weapons without human control is considered autonomous. If your robot is autonomous you are required to contact this event before registration.

8. Batteries and Power

- 8.1. The only permitted batteries are ones that cannot spill or spray any of their contents when damaged or inverted. This means that standard automotive and motorcycle wet cell batteries are prohibited. Examples of batteries that are permitted: gel cells, Hawkers, NiCads, NiMh, dry cells, AGM, Lion, LiFe, LiPoly, etc. If your design uses a new type of battery, or one you are not sure about please contact the event you're planning to attend.
- 8.2. All onboard voltages above 48 Volts require prior approval from this event. (It is understood that a charged battery's initial voltage state is above their nominal rated value)
- 8.3. All electrical power to weapons and drive systems (systems that could cause potential human bodily injury) must have a manual disconnect that can be activated within 15 seconds without endangering the person turning it off. (E.g. No body parts in the way of weapons or pinch points.) Shutdown must include a manually operated mechanical method of disconnecting the main battery power, such as a switch (Hella, Whyachi, etc) or removable link. Relays may be used to control power, but there must also be a mechanical disconnect. Please note that complete shut down time is specified in section 3.4.3.
- 8.4. All efforts must be made to protect battery terminals from a direct short and causing a battery fire.
- 8.5. If your robot uses a grounded chassis you must have a switch capable of disconnecting this ground. ICE robots are excepted from this rule if there is no practical way to isolate their grounding components. You must contact this event for this exception.

9. Pneumatics

- 9.1. If your robot uses pneumatic systems you are required to contact this event before registration.

10. Hydraulics

- 10.1. If your robot uses hydraulic systems you are required to contact this event before registration.

11. Internal Combustion Engines (ICE) and liquid fuels

- 11.1. Fuel and Fuel Lines
 - 11.1.1. All commercially available grades of automobile or RC hobby fuel are allowed. Alcohol, Nitro-methane, jet fuel and other specialty grades of fuel require prior approval.
 - 11.1.2. Fuel lines and tanks must be made of high quality materials and all ends must be clamped securely.
 - 11.1.3. All fuel tanks and lines must be well protected and armored from all sides including moving parts and heat sources inside the robot.
- 11.2. Fuel tank volume, on any robot, shall not be greater than the amount required to operate the engine for more than **1 minute longer than the match time** at combat power plus a reasonable pre-match warm-up period. Total fuel volume, including fuel for both ICE and flame weapons (if allowed) may not exceed **20oz** unless prior approval is granted from this event.
- 11.3. The output of any engines connected to weapons or drive systems must be coupled through a clutch which will decouple the motor when it is at idle. (This does not include motors used for generators and hydraulic pumps.)
- 11.4. Any engine connected to a weapon **must** be capable of being started while the weapon locking pin is in place (see 3.4.6).
- 11.5. All engines must turn off or return to idle at loss of **radio signal** and turn off at loss of radio **receiver power**.
- 11.6. All engines must have a method of remotely shutting off.
- 11.7. Any robot with liquid fuel and oil must be designed not to leak when inverted. (Minor oil leakage may be tolerated, however if it affects the other robot or becomes a large cleanup issue you may be called and the leaking robot will forfeit.)
- 11.8. Use of engines other than standard piston engines (i.e. turbines etc.) require prior approval for any event.

12. Rotational weapons or full body spinning robots

- 12.1. Spinning weapons that can contact the outer arena walls during normal operation must be pre-approved by the event. (Contact with an inner arena curb, or containment wall is allowed and does not require prior permission.)
- 12.2. Spinning weapons must come to a full stop within **60 seconds** of the power being removed using a self-contained braking system.

13. Springs and flywheels

- 13.1. Any flywheel or similar kinetic energy storing device must not be spinning or storing energy in any way unless inside the arena or testing area.
 - 13.1.1. There must be a way of generating and dissipating the energy from the device remotely under the robot's power.
- 13.2. All springs, flywheels, and similar kinetic energy storing devices must fail to a safe position on loss of radio contact or power.

14. Forbidden Weapons and Materials

The following weapons and materials are absolutely forbidden from use:

- 14.1. Weapons designed to cause invisible damage to the other robot. This includes but is not limited to:
 - 14.1.1. Electrical weapons
 - 14.1.2. RF jamming equipment, etc.
 - 14.1.3. RF noise generated by an IC engine. (Please use shielding around sparking components)
 - 14.1.4. EMF fields from permanent or electro-magnets that affect another robot's electronics.
 - 14.1.5. Entangling Weapons or defenses: these are weapons or defenses that can reasonably be expected to stop drive train and/or weapon motion by being wrapped around rotating parts. This includes nets, tapes, strings, and other entangling materials or devices.
 - 14.1.6. Weapons or defenses that can reasonably be expected to stop combat completely of both (or more) robots.
- 14.2. Weapons that require significant cleanup, or in some way damages the arena to require repair for further matches. This includes but is not limited to:
 - 14.2.1. Liquid weapons. Additionally a bot may not have liquid that can spill out when the robot is superficially damaged.
 - 14.2.2. Foams and liquefied gasses
 - 14.2.3. Powders, sand, ball bearings and other dry chaff weapons
- 14.3. Un-tethered Projectiles (see tethered projectile description in Special Weapons section 15.1)
- 14.4. **Heat and fire are forbidden as weapons.** This includes, but is not limited to the following:
 - 14.4.1. Heat or fire weapons not specifically allowed in the Special Weapons section (15.2)
 - 14.4.2. Flammable liquids or gases
 - 14.4.3. Explosives or flammable solids such as:
 - 14.4.3.1. DOT Class C Devices
 - 14.4.3.2. Gunpowder / Cartridge Primers
 - 14.4.3.3. Military Explosives, etc.
- 14.5. Light and smoke based weapons that impair the viewing of robots by an Entrant, Judge, Official or Viewer. (You are allowed to physically engulf your opponent with your robot however.) This includes, but is not limited to the following:
 - 14.5.1. Smoke weapons not specifically allowed in the Special Weapons section (15.3)

- 14.5.2. Lights such as external lasers above 'class I' and bright strobe lights which may blind the opponent.
- 14.6. Hazardous or dangerous materials are forbidden from use anywhere on a robot where they may contact humans, or by way of the robot being damaged (within reason) contact humans. Contact the event you plan to attend if you have a question.

15. Special weapon descriptions

- 15.1. Tethered Projectiles are allowed at this event.
 - 15.1.1. Tethered projectiles must have a tether or restraining device that stops the projectile and is no longer than 8 feet.
- 15.2. Heat and Fire are not allowed at this event.
- 15.3. Smoke Effects are allowed at this event.
 - 15.3.1. Small smoke effects may be used, please contact the event if you plan on using it.

16. Weight Class Variants

A robot may be entered into any of the below classes if it complies with the additional rules in this section. Any robot may be entered in the "standard" class of the same weight. All robots must be Plastic Ant Weights at our events.

16.1. Plastic Class

The spirit of this class is to create an accessible and affordable class that encourages experimentation and rapid iteration by utilizing 3D printing.

- 16.1.1. Allowed materials
 - 16.1.1.1. Frames, weapons and other custom parts may only be made from PLA, PLA+, PET, PETG, ABS, or ASA and must be FDM/FFF 3D printed
 - 16.1.1.2. Materials that are functionally identical to PLA+ but have a different name for marketing purposes will be considered PLA+ when determining legality. (ex. PLA Pro, Super PLA)
 - 16.1.1.3. No other types of plastics or materials are allowed (ie. metal, carbon fiber, UHMW, etc).
 - 16.1.1.4. Composite and blended materials that use legal materials as a base are not permitted. Examples include but are not limited to: Carbon Fiber PLA, Glass Filled ABS, and Flex PLA.
- 16.1.2. COTS Parts
 - 16.1.2.1. Commercial Off The Shelf, COTS, parts can be made from any material. This includes components such as motors, electronics, axles, bushings, bearings, fasteners, and adhesives.
 - 16.1.2.1.1. COTS parts may not be used outside of their typically accepted function. Examples include:
 - 16.1.2.1.1.1. Permitted: Using shafts and bearings to allow wheels or a weapon to spin freely, using screws

- to attach two parts together.
 - 16.1.2.1.1.2. Not Permitted: Using COTS parts as counterbalances for weapons, as weapon impactors, or as armor.
 - 16.1.2.1.2. COTS parts may be modified if necessary so long as the function of the part is not significantly changed. Examples include shortening motor shafts and adding flats for set screw contact.
 - 16.1.2.1.3. COTS equivalent parts are allowed.
 - 16.1.2.1.3.1. Examples of COTS equivalent parts include but are not limited to builder sourced/manufactured gearmotors, custom electronics, prototype components, and axles that are not commercially available.
 - 16.1.2.1.4. Magnets to enhance traction or downforce are prohibited.
 - 16.1.3. Tires, Wheels and Other Traction Elements
 - 16.1.3.1. Non-allowed materials may be used if they meet the following requirements:
 - 16.1.3.1.1. Tires and other traction elements may be made from COTS rubber material, custom cast rubber, rubber coatings, or foam.
 - 16.1.3.1.1.1. Bristles may be made from brushes, and custom tpu bristles.
 - 16.1.3.1.2. Parts between motors/shafts and Tires should either be COTS, Foam, or printed from Allowed Materials.
 - 16.1.3.1.3. Printed elements including COTS components must be from the allowed materials list.
 - 16.1.3.1.4. Tires, wheels, wheel components, and other traction elements made from materials not on the allowed materials list may not be designed such that they provide more armor or structure than a COTS equivalent part.
 - 16.1.4. Coatings and Post-Processing
 - 16.1.4.1. Painting or otherwise marking robots is permitted if done solely for aesthetic purposes. Excessive coatings are subject to event organizer review and approval.
 - 16.1.4.2. Post-processing of materials using techniques that enhance durability is not permitted. Disallowed processes include but are not limited to annealing, acetone soaking, and boiling of parts
 - 16.1.4.3. Robots may be disqualified at the Event Organizer's discretion if it is deemed to violate the spirit of the class. Contact the event organizer ahead of time if you are not sure your robot meets the above definition.